10

15

20

25

Abstract

New disubstituted bicyclic heterocycles of general formula

 R_a - A - Het - B - Ar - E (I)

Compounds of the above general formula I, wherein E denotes an $R_bNH-C(=NH)$ - group, have valuable pharmacological properties, particularly a thrombin-inhibiting effect and the effect of prolonging thrombin time, and those wherein E denotes a cyano group, are valuable intermediates for preparing the other compounds of general formula I. Exemplary compounds of formula I are:

- (a) 1-Methyl-2-[N-(4-amidinophenyl)-aminomethyl]-benzimidazol-5-yl-carboxylic acid-N-phenyl-N-(2-hydroxycarbonylethyl)-amide,
- (b) 1-Methyl-2-[N-(4-amidinophenyl)-aminomethyl]benzimidazol-5-yl-carboxylic acid-N-(2-pyridyl)-N-(hydroxycarbonylmethyl)-amide,
- (c) 1-Methyl-2-[N-(4-amidino-2-methoxy-phenyl)-aminomethyl]-benzimidazol-5-yl-carboxylic acid-N-(2-pyridyl)-N-(hydroxycarbonylmethyl)-amide, and
- (d) 1-Methyl-2-[N-[4-(N-nhexyloxycarbonylamidino)phenyl]aminomethyl]-benzimidazol-5yl-carboxylic acid-N-(2-pyridyl)-N-(2-ethoxycarbonylethyl) amide.